

From: [Hohman, Darla](#)
To: [Diana Engleman](#)
Subject: RE: Shady Acres Green River Utah
Date: Thursday, September 1, 2022 4:46:00 PM
Attachments: [SPCC Plan and field Violations 9-2022.doc](#)

Good Afternoon Diana,

I have reviewed the SPCC Plan. I have a couple of very minor comments on the Plan. I've attached a write up of what needs to be done on the Plan and the outstanding field issues. If you have questions, let me know. I am giving you until **September 30, 2022**, to finish getting the containment work done. It needs to be done before it gets cold, since it has been a year and a half since the inspection. If it is not complete by that date, I will proceed with an expedited settlement agreement, which will include a small penalty. You will need to provide copies of the inspection reports and the training documentation along with photos of the locks on the load in area and the bollards recommended by the PE by September 30, 2022. Thanks for your effort to return to compliance.

Darla

From: Diana Engleman <dianaengleman@yahoo.com>
Sent: Tuesday, August 9, 2022 12:06 PM
To: Hohman, Darla <hohman.darla@epa.gov>
Subject: Re: Shady Acres Green River Utah

Hey Darla,

I apologize I thought I had sent this to you already. I know we spoke on the phone not long ago about this in June about the additional containment needed. We are still in the process of getting this done. I have the ground work done and am now waiting on a contractor to do the concrete work.

Please let me know if you need anything else.

Thank you,
Diana

On Tuesday, August 2, 2022 at 01:57:02 PM MDT, Hohman, Darla <hohman.darla@epa.gov> wrote:

Good Afternoon Ms. Engleman,

Have you received your SPCC Plan from the Engineer?

=====
Ms. Darla Hohman
US Environmental Protection Agency
1595 Wynkoop Street, MC: 8ENF-RO-O
Denver, CO 80202-1129
(303) 312-6953 fax
(303) 312-6263
Email: hohman.darla@epa.gov
=====

From: Diana Engleman <dianaengleman@yahoo.com>
Sent: Monday, June 6, 2022 1:50 PM
To: Hohman, Darla <hohman.darla@epa.gov>
Subject: Shady Acres Green River Utah

Hey Darla,

I am reaching out to let you know that I did have an engineer come out and create an SPCC Plan. I have attached the info he sent me. I currently have bids out to create the secondary containment that was recommended. I will keep you updated upon completion of the additional containment.

Thank you for your patience while I have worked through this. Please let me know if you need anything else from me at this time.

Best regards,

Diana